

٦

Proposal for Task Force Consideration at the ISSC 2015 Biennial Meeting		\boxtimes	Growing Area	
			Harvesting/Handling/Distribution	
			Administrative	
Submitter	Jennifer Rice			
Affiliation	Neogen Corporation			
Address Line 1	620 Lesher Place			
Address Line 2				
City, State, Zip	Lansing, MI, 48912			
Phone	517-372-9200			
Fax	517-367-0514			
Email	jrice@neogen.com			
Proposal Subject	Reveal 2.0 ASP			
Specific NSSP	Section IV. Guidance Documents			
Guide Reference	Chapter II. Growing Areas			
	.11 Approved NSSP Laboratory Tests			
Text of Proposal/	We request review of the validation study submission for the Reveal 2.0 ASP (domoic			
Requested Action	acid) test kit and consideration of the method for approval as a screening method for			
-	qualitative determination of domoic acid in shellfish. Add Reveal ASP to Section IV.			
	Guidance Documents, Chapter II. Growing Areas, .11 Approved NSSP Laboratory			
	Tests.			
Public Health	Amnesic shellfish poisoning is caused by the toxin domoic acid, produced by			
Significance	phytoplankton of the genus Pseudonitzschia. It is associated with eating			
	contaminated oysters, clams, mussels, and other shellfish [1,2]. There have been			
	numerous outbreaks of ASP, and there is evidence that the occurrence of the			
	phytoplankton responsible for ASP is widespread. Current methods for detection of			
	domote acid consist primarily of instrumental chemistry methods, which are laborious			
	and time-consuming. Methods for rapid screening for domoic acid, in field and			
	laboratory settings, are needed and will assist the industry and public health			
	authorities in responding to this health concern. The Reveal ASP test is a lateral flow			
	immunoassay designed for qualitative determination of domoic acid in shellfish at laugh of 10 mm (mg/kg) and above. The test was minimal assignment and simple			
	levels of 10 ppm (mg/kg) and above. The test uses minimal equipment and simple reagents, does not require specialized training, and can provide results in 20 minutes.			
	reagents, does not require specialized training, and can provide results in 20 minutes			
	from sample receipt, including sam	ipie preparatio	11.	
	11 I. Sobel and I. Painter (2005). Illness caused by Marine Riotoxins. Clin. Infect			
	Dis 4 1290			
	Dis. 4, 1290.			
	[2] Van Dolah, Frances M. (2000)). Marine alga	al toxins: origins, health effects, and	
	their increased occurrence. Enviro	nmental health	perspectives 108. Suppl 1, 133.	
Cost Information	Approximately \$17.00 per test.	Reader based	assay – approximate cost of Reader	
	\$1995		2 II	
Action by 2013	Recommended adoption of this m	ethod as a Lir	nited Use Method for the purpose of	
Laboratory Method and	screening and precautionary closure for ASP and direct the Executive Office send a			
Quality Assurance	letter to the submitter requesting additional information as provided by the Laboratory			
Review Committee	Method Review and Quality Assurance Committee.			
Action by 2013	Recommended adoption of the Laboratory Method Review and Quality Assurance			
Task Force I	Committee recommendation on Proposal 13-112 and recommended that the			
	Conference be made aware the sub	omitter of Prop	osal 13-112 is looking for samples to	



	be used in testing.
Action by 2013	Adopted recommendation of 2013 Task Force I on Proposal 13-112.
General Assembly	
Action by FDA	Concurred with Conference action on Proposal 13-112.
May 5, 2014	