

Proposal Number	Submitter / Proposal Subject	Page Number
05-100	P & J Oyster Company (Alfred J. Sunseri) <ul style="list-style-type: none"> Vv Risk Management Plan for Oysters Exemption for Licensed Shellfish Harvesters and Dealers 	TF-I-1
05-109	Jellett Rapid Testing <ul style="list-style-type: none"> Rapid Screening Method for ASP 	TF-I-4
05-111	Jellett Rapid Testing <ul style="list-style-type: none"> Rapid Extraction Method for PSP and ASP 	TF-I-15
05-115	Advanced Instruments, Inc. <ul style="list-style-type: none"> Thermazyme™ ACP Test for Use on Thermally Processed Shellfish Products 	TF-I-23
09-101	US FDA <ul style="list-style-type: none"> Action Levels, Tolerances, and Guidance Levels for Poisonous or Deleterious Substances in Seafood 	TF-I-31
09-102	Anita Wright <ul style="list-style-type: none"> Alternative analytical method for <i>Vibrio vulnificus</i>, <i>Vibrio cholerae</i>, <i>Vibrio parahaemolyticus</i> 	TF-I-36
09-105	Thomas Stewart <ul style="list-style-type: none"> Domoic Acid Test Kit 	TF-I-79
11-100	Maine Department of Marine Resources, Darcie Couture & Bruce Chamberlain <ul style="list-style-type: none"> Post Harvest Processing 	TF-I-140
11-101	Spinney Creek Shellfish, Inc., Tom Howell <ul style="list-style-type: none"> Re-opening Conditional Areas using Male-specific Coliphage after WTP Malfunction 	TF-I-141
11-102	Spinney Creek Shellfish, Inc., Tom Howell <ul style="list-style-type: none"> Using Male-specific Coliphage as a Tool to Refine Determinations of the Size of the Areas to be Classified as Prohibited Adjacent to Each Outfall 	TF-I-142
11-103	Spinney Creek Shellfish, Inc., Tom Howell <ul style="list-style-type: none"> Alternative Male-specific Coliphage Meat Standard for Restricted Classification of Growing Areas Impacted by wastewater treatment plant outfall. 	TF-I-143
11-104	ISSC Executive Office and Patti Fowler <ul style="list-style-type: none"> Use of analytical methods other than NSSP methods 	TF-I-144
11-105	Laboratory Methods Review Committee/Patti Fowler Chair <ul style="list-style-type: none"> Use of analytical methods other than NSSP methods 	TF-I-146
11-106	Laboratory Methods Review Committee/Patti Fowler Chair <ul style="list-style-type: none"> Definitions for Types I, II, II and IV Methods 	TF-I-148
11-107	Neogen Corporation, Mark Mozola <ul style="list-style-type: none"> Reveal ASP (Domoic Acid) test kit 	TF-I-149
11-108	Northeast Laboratory Evaluation Officers and Managers (NELEOM), Mercuria Cumbo <ul style="list-style-type: none"> Update Microbiology Laboratory Evaluation Checklist 	TF-I-170
11-109	Northeast Laboratory Evaluation Officers and Managers (NELEOM), Mercuria Cumbo <ul style="list-style-type: none"> Update PSP Laboratory Evaluation Checklist 	TF-I-191
11-110	Sole Proprietor of St. Thomas Creek Oysters, Bob Parkinson <ul style="list-style-type: none"> Refinement of Fecal Colliform Sources 	TF-I-202
11-111	Maine Department of Marine Resources, Mercuria Cumbo <ul style="list-style-type: none"> Total Coliform Method for Shellfish Dealer Process Water using the membrane filtration techniques with mEndo LES agar 	TF-I-215
11-112	Mississippi Department of Marine Resources <ul style="list-style-type: none"> Addition to the Requirements for the Authority during a suspected shellfish related outbreak 	TF-I-232

11-113	Mississippi Department of Marine Resources <ul style="list-style-type: none">• Addition to the Requirements for the Authority during a suspected shellfish related outbreak	TF-I-233
11-114	Mississippi Department of Marine Resources <ul style="list-style-type: none">• Addition to the Requirements for the Authority during a suspected oyster related outbreak of <i>Norovirus</i>	TF-I-235
11-115	Mississippi Department of Marine Resources <ul style="list-style-type: none">• Addition to the Requirements for the Authority during a suspected shellfish related outbreak	TF-I-237
11-116	Debbie Rouse, John M. Hickey, Eric M. Hickey, John Mullen, Joseph Migliore, Darcie Couture, USFDA <ul style="list-style-type: none">• Control of Marine Biotoxins	TF-I-238
11-117	ISSC Executive Office, USFDA <ul style="list-style-type: none">• Recall Notification	TF-I-246